Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
 L20	92	"709"/\$.ccls. and L14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 07:53
L11	23	"709"/\$.ccls. and L5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 07:53
L19	56	307/11;18;31;32;36;37;43;149;150.ccls.and £14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 07:51
L10	60	307/11,18,31,32,36,37,43,149,150.ccls.and L5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 07:51
L18	2	337/186:ccls. and L14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 07:50
L17	1	439/652.ccls. and L14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 07:50
L9	2	337/186.ccls, and L5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2006/05/10 07:50
L8	2	439/652.ccls. and L5	US-PGPUB USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2006/05/10 07:50
L16	50	713/340 ccls. and L14	US-PGPUB USPAT; USOCR; EPO; JPO; DERWENT IBM_TDB		ON	2006/05/10 07:48
L7	14	713/340.ccls. and L5	US-PGPUB USPAT; USOCR; EPO; JPO; DERWENT IBM_TDB		ON	2006/05/10 07:48

L15	3	361/601,622.ccls. and L14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/05/10 07:47
L14	8486	(power) near3 (on off) and (detect\$5 determin\$5 sens\$5) near4 (load current voltag\$5) and (outlet receptacle appliance)	IBM_TDB  US-PGPUB;  USPAT;  USOCR;  EPO; JPO;  DERWENT;	OR	ON	2006/05/10 07:47
<b>L6</b>	10	361/601,622.ccls. and L5	US-PGPUB; US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/05/10 07:47
L13	29942	(power) near3 (on off) and (detect\$5 determin\$5 sens\$5) near4 (load current voltag\$5) and (unit module)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2006/05/10 07:45
L12	45683	(power) near3 (on off) and (detect\$5 determin\$5 sens\$5) near4 (load current voltag\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 07:43
L5	5019	(power) near3 (strip brick tap housing) and (on off) and (detect\$5 determin\$5 sens\$5) near4 (load current voltag\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 07:42
S31 5	16	"709"/\$.ccls. and S309	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 07:36
S31 4	26	307/11;18,31;32,36,37,43;149,150.ccls.and S309	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR.	ON	2006/05/10 07:34
S31 3	2	337/186.ccls. and S309	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2006/05/10 07:34
S31 2	1	439/652.ccis. and S309	US-PGPUB, USPAT, USOCR; EPO; JPO; DERWENT; IBM: TDB	OR	ON	2006/05/10 07:32
S31 1	. 11	713/340.ccls. and S309	US-PGPUB USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2006/05/10 07:32

S31 0	2	361/601,622.ccls. and S309	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 07:31
\$30 9	1594	(power) near3 (strip brick tap housing) and (power) near3 (on off) and (detect\$5 determin\$5 sens\$5) near4 (load current voltag\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 07:26
L4	5	("4687948"   "5099157"   "5317475"   "5563455"   "5699051").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/10 07:23
S30 6	19	"709"/\$.ccls. and S300	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM: TDB	OR	ON	2006/05/09 14:17
S30 5	19	307/11,18,31,32,36,37,43,149,150.ccls. and S300	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 14:16
S30 4	2	337/186:ccls. and S300	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM: TDB	OR	ON	2006/05/09 14:16
S30 3	1	439/652.ccls. and S300	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 14:16
\$30 2	7	713/340.ccls. and S300	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2006/05/09 14:15
\$30 1	30	361/601,622.ccls. and S300	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2006/05/09 14:14
\$30 8	59489	(power) near3 (strip distribution)	US-PGPUB USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2006/05/09 14:09
S30 0	1914	(power) near3 (strip distribution) and (cabinet)	US-PGPUB USPAT; USOCR; EPO; JPO; DERWENT IBM_TDB		ON	2006/05/09 14:07

S30	4	10/431333	US-PGPUB; USPAT;	OR	ON	2006/01/19 16:15
7			USOCR; EPO; JPO; DERWENT; IBM_TDB			
S29 9	0	361/601;622:ccls. and S298	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 14:08
S29 8	712	(power) near3 (strip) and (Rack cabinet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 14:08
\$29 7	318	(power) near3 (strip) and (cabinet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 14:08
\$28 7	482	(power) near3 (strip) and (Rack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 14:07
S29 5	639	:361/601,622.ccls	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 14:06
S29 4	9	("4674031"   "4769555"   "4970623"   "5071367"   "5424903"   "5534734"   "5721934"   "5901067"   "5923103").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/19 13:46
S29 3	23	("4675537"   "4747041"   "4970623"   "5164609"   "5347167"   "5359540"   "5408669"   "5424903"   "5477476"   "5486726"   "5506790"   "5579201"   "5675813"   "5721934"   "5731947"   "5767844"   "5904591"   "6105143"   "6128743"   "6211581"   "6363491"   "6365989"   "6501195") PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/19 12:41
S29 2	9	1 "E424002"	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/19 12:40
S29 1	44	(power) near3 (strip) and (Rack)and (current) near3 (sensor sens\$5 monitor)	US-PGPUB USPAT: USOCR: EPO; JPO; DERWENT IBM_TDB	OR	ON	2006/01/19 12:37
S29 0	245	(power) near3 (strip distribution) and (Rack) and (current) near3 (sensor sens\$5 monitor)	US-PGPUB USPAT; USOCR; EPO; JPO; DERWENT IBM_TDB		ON	2006/01/19 12:37
S28 9	1490	) (power) near3 (strip distribution) and (Rack) and (sensor sens\$5 monitor):	US-PGPUB USPAT; USOCR; EPO; JPO; DERWENT IBM_TDB		ON	2006/01/19 12:37

		1/2 1	US-PGPUB;	OR	ON	2006/01/19 12:36
S28 8	2309	(power) near3 (strip distribution) and (Rack)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S28 6	134	(power) near3. (strip) and (outlet) same:(remote)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19:12:35
S27 4	353	(power) near3 (distribution) and (outlet) same (remote)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 12:24
S28 5	2	"5731947":pn:	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR:	ON	2006/01/19.11:24
S28 4	2	"5904591".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 11:10
S28 3	2	"5579201" pn	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 11:09
S28 2	2	"5506790".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 11:07
S28 1	2	"5424903":pn	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 11:07
\$28 0	2	"535954Q".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2006/01/19 11:07
S27 9	Ż	"5347167" pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2006/01/19 11:06
S27 8	2	2 "5250851".pn.	US-PGPUB USPAT; USOCR; EPO; JPO; DERWENT .IBM_TDB		ON	2006/01/19 11:05

S27	2	"4395640".pn.	US-PGPUB;	OR	ON	2006/01/19 11:05
7	-		USPAT; USOCR; EPO; JPO; DERWENT;. IBM_TDB			
S27 6	6	09/375471	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	ON	2006/01/19 11:04
			DERWENT; IBM_TDB		011	0006/04/40 40:53
S27 5	2	"5949974".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 10:52
S27   3	0	(power) near3 (distribution) and (outlet) same (on) same (off) same (remote)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 10:48
S27 2	0	(sens\$5) near4 (outlet) same (on) same (off) same (remote)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19.10:47
S27 1	113	(outlet) same (on) same (off) same (remote)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 10:47
S27 0	14	(select\$5) same (outlet) same (on) same (off) same (remote)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 10:34
S26 8	5	(select\$5) same (outlet) same (power) same (on) same (off) same (remote)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 10:33
S26 9	2	09/860995	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/01/19 10:22
S26 7	0	(select\$5) near4 (outlet) same (power) same (on) same (off) same (remote)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 10:18
S26 6	5	"307"/\$.ccls. and (SNMP) and (power) near5 (distribution strip brick tap)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2005/06/21 13:13

S24	232	(SNMP) and (power) near5 (distribution strip brick tap)	US-PGPUB; USPAT;	OR	ON	2005/06/21 13:13
8			USOCR; EPO; JPO; DERWENT; IBM_TDB	·		
S26 5	4	(ewing) and (09/375471)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/06/21 10:44
S26 4	2	"5949974".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 10:44
S25 6	2	"4647721" pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 10:42
S26 3	2	(Fung) and (09/860995)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 09:41
S26 2	11	(SNMP) same (power) near5 (distribution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 09:40
S26 1	223	(SNMP) and (power) near5 (distribution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 09:32
S25 2	225	(SNMP) and (power) near5 (distribution strip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 09:29
S26 0	3	(henry near3 feng).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2005/06/21 09:26
S25 9	2	"5051720":pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2005/06/21 09:25
S25 8		"5003578".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2005/06/21 09:25

S25 7	2	"4686526".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2005/06/21 09:25
S24 6	2	"6507273" pn.	IBM_TDB  US-PGPUB;  USPAT;  USOCR;  EPO; JPO;  DERWENT;	OR	ON	2005/06/21 09:24
S25 5	7	(ewing) and (08/685436)	US-PGPUB; US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/06/21 09:19
S25 4	34	(rack adj mount) same (power) near4 (strip distribut\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/06/21 09:18
S25 3	0	(SNMP) same (control\$5 manag\$% monitor\$5) same (power) same (rack adj mount) same (power) near4 (strip distribut\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 09:16
S25 1	15	("20010003206"   "20020007464"   "20020024332"   "20020116139"   "20020133728"   "20020178387"   "20020194517"   "20030005339"   "20030009705"   "4611289"   "5534734"   "5784628"   "5949974"   "6219795"   "6445088").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/21 09:04
S25 0	6	("4787011"   "6078503"   "6169249"   "6229691"   "6301095"   "6331933").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/21 09:03
S24 9	2	"5949974" pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 09:01
S24 5	4	(TCP/IP) same (on/off (on and off)) and (power) near5 (distribution strip brick tap)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 08:54
S24 7	12	("4686380"   "5031082"   "5430430"   "5471190"   "5530896"   "5565855"   "5815652"   "6005476"   "6121593"   "6211782"   "6229433"   "6275922").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/21 08:44
S24 1	239	4.4 653	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2005/06/21 08:42
S24 4	14	("4208630"   "4279012"   "4342986"   "4454509"   "4881070"   "4962522"   "4967194"   "5089814"   "5254908"   "5528507"   "5590179"   "5886647"   "5897607"   "5898384") PN	US-PGPUB USPAT; USOCR	OR	ON	2005/06/21 08:25
S24 3	8		US-PGPUB USPAT; USOCR	OR	ON	2005/06/21 08:16

			· · · · · · · · · · · · · · · · · · ·		011	2005/06/21 07:35
S24 2	38	("1308068"   "1329243"   "1662083"   "2234747"   "2330638"   "2420881"   "2734160"   "2740079"   "2745049"   "2919393"   "3504256"   "4300182"   "5483153"   "5495157"   "5525874"   "5604425"   "5651667"   "5664202"   "5788004"   "5878189"   "5898282"   "5939794"   "6157555"   "6208931"   "6296636"   "6359410"   "6429728").PN.	US-PGPUB; USPAT; USOCR	OR	ON	
S24 0	3180	(electrical) near4: (current voltage) near4: (sens\$5) same (module device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 06:49
S23 9	2	"6523068".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 15:55
S21 3	2	"5359540".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 15:55
S23 8	261	(AC power) near5 (strip brick module distributor) same (outlet receptacle) same (power) same (sensor detector initiator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 15:52
S23 6	26	(AC power) near5 (strip brick module distributor) same (outlet receptacle) same (load) same (sensor detector initiator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 15:41
S23 7	37	("3707697"   "4100426"   "4113334"   "4318156"   "4395640"   "4427253"   "4684186"   "4705342"   "4876713"   "4930047"   "5157273"   "5164609"   "5278771"   "5292257"   "5334033"   "5347167"   "5350310"   "5359540"   "5424903"   "5429518"   "5430598"   "5463663"   "5579201"   "5582522"   "5649839"   "5658158"   "5780775"   "D216887"   "D217251"   "D290835"   "D304324"   "D350916"   "D350917"   "D354731"   "D356544").PN	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/03 15:34
S23 5	40	709/223,224.ccls. and (remot\$5) near8 (manag\$5 monitor\$5 control\$7) near10 (power) and (TCP/IP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 15:27
\$23 4	0	361/622,623,624,625,626.ccls. and (remot\$5) near8 (manag\$5 monitor\$5 control\$7) near10 (power) and (TCP/IP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 15:12
S23 3	Ö	340/693:1,638,639.ccls. and (remot\$5) near8 (manag\$5 monitor\$5 control\$7) near10 (power) and (TCP/IP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 15:12
S23 1	15	713/310,330,340.ccls. and (remot\$5) near8 (manag\$5 monitor\$5 control\$7) near10 (power) and (TCP/IP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2005/06/03 15:11

S23 2.	. 14	("20020198627"   "4479228"   "5679985"   "5734373"   "6018204"   "6047222"   "6081752"   "6383076"   "6389546"   "6476521"	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/03 15:07
S22 0	15	"6493243"   "6496342"   "6522955"   "6653821").PN. (remot\$5) near8 (manag\$5 monitor\$5 control\$7) near8 (rack) near10 (power) and (TCP/IP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2005/06/03 15:06
S23 0	0	(Optical\$) near4 (outlet) near4 (load) near4 (sensor)	US-PGPUB; US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 15:05
S22   4	0	(Optical\$) near10 (electrical) near4 (outlet) near4 (load)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/06/03 15:03
S22 9	37	(henry near3 fung)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/06/03 14:37
S22 8	2	"5396635".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 14:37
S22 6	128	(detect\$5) near4 (outlet) near4 (load)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 14:36
S22 7	4	("4853823"   "4977515"   "5910784"   "6211581"), PN.	US-PGPUB; USPAT; USOCR	ÖR	ON	2005/06/03 14:18
S22 5	10	(detect\$5) near4 (electrical) near4 (outlet) near4 (load)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 14:17
S22 3	2	(sens\$5) near4 (electrical) near4 (outlet) near4 (load)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 14:14
\$22 2	0	(remot\$5) near4 (sens\$5) near4 (electrical) near4 (outlet) near4 (load)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2005/06/03 14:11
\$12 0		(remote near3 power near3 reboot) and ((power remote) near10 (outlet receptacle appliance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 14:10

Page 10 5/10/06 7:55:19 AM C:\Documents and Settings\APatel3\My Documents\EAST\Workspaces\09732557.wsp

S22 1	2	"4181886" pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 14:06
S12 1	3.	(remote near3 power near3 reboot) and (outlet receptable appliance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/06/03 13:59
S21 6	2	"6711613".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 13:49
S21 9	12	(power near2 distribut\$5) and (load near4 sensor) and (ambient near3 temperature near4 sensor) and (TCP/IP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 13:44
S21 8	0	(power near2 distribut\$5) and (outlet near4 load near4 sensor) and (ambient near3 temperature near4 sensor) and (TCP/IP) .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 13:44
S21 7	3	(09/732557) and (Ewing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 13:39
S21 5	2	"5949974".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 13:37
S21 4	2	"5979974".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 13:33
S21	1	"4996711".PN.	USPAT; USOCR	OR	ON	2005/02/24 13:38
2   S21   1	2	"5768385" pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 13:05
S20 9	107	(outlet recepticle) near3 (Power voltage) near3 (sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 13:05

S21	0	S208 and (power near5 srip)	US-PGPUB;	OR	ON	2005/02/24 11:37
0			USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S20 8	630	(outlet recepticle) near10 (Power voltage) near10 (sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 11:36
S20 7	175	(synchroniz\$5) near5 (pulse) near5 (generator) and ((zero-crossing) (zero near5 crossing)) and (sens\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 11:35
S20 6	287	(synchroniz\$5) near5 (pulse) near5 (generator) and ((zero-crossing) (zero near5 crossing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 09:54
S20 5	1	(relay) near10 (on off close open) near10 (outlet receptacle plug NEMA) and (synchroniz\$5) near5 (pulse) near5 (generator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/02/24 09:49
S13 1	2196	(relay) near10 (on off close open) near10 (outlet receptacle plug NEMA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 09:46
S20 4	1	D462658.pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 08:05
S18 0	2	"6507273".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 08:05
S20 3	2325	(redundant) near5 (microcontroller processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2005/02/24 07:58
S20 2	o	fail near5 safe near20 (power near2 supply) and (redundant) near5 (microcontroller processor)	US-PGPUB USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2005/02/24:07:58
S20 1	146	fail near5 safe near20 (power near2 supply) and (microcontroller processor CPU)	US-PGPUB USPAT; USOCR; EPO; JPO; DERWENT IBM_TDB		ON	2005/02/24 07:58

S20 0	812	fail near5 safe near20 (power near2 supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2005/02/24 07:54
S19 9	2	(reynolds) and (10/431333)	IBM_TDB  US-PGPUB;  USPAT;  USOCR;  EPO; JPO;  DERWENT;	OR	ON	2005/02/24 07:52
S19 8	26	(chang\$5 negotiat\$5 alter\$5) near5 (transmission) near5 (rate) near20 (protocol) and (DSL)	US-PGPUB; US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 07:40
S19 7	84	(chang\$5 negotiat\$5 alter\$5) near5 (transmission) near5 (rate) near20 (protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/02/24 07:35
S19 6	0	(dynamica\$5) near5 (chang\$5 negotiat\$5 alter\$5) near5 (transmission) near5 (rate) near20 (protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/02/24 06:43
S19 5	0	(dynamica\$5) near5 (chang\$5 negotiat\$5 alter\$5) near5 (transmission) near5 (rate) same (depend\$5 evaluat\$5) near10 (protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 06:42
S19 4	2	"6055268".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 17:05
S18 8	2	"5873532".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 16:02
S19 3	45	((power) near (strip housing bar brick tap)) and (SNMP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2005/02/23 14:20
S19 2	88	((optical opto) near2 (iso isolator))near10 (power load current) near5 (sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/02/23 14:19
S19 1		((optical opto) near2 (iso isolator)) and (power load current) near5 (sensor) and (SNMP)	US-PGPUB USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2005/02/23 13:20

S19 0	1117	((optical opto) near2 (iso isolator)) and (power load current) near5 (sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 13:04
S18 7	124	S186 and (Load) near5 (sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 13:02
S18 9	2	"5872832".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 09:46
S18 3	3	"4216384".pn	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TOB	OR	ON.	2005/02/23 09:45
S18 6	5180	(power)near5(microcontroller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 09:40
S18 5	2	"5359540" pn	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 09:39
S18 4	3	"539540".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/02/23 09:37
S18 2	2	"6476729".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/02/23 09:33
S18 1	2	"6445087".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 09:32
S17 9	98	(receptacle outlet plug) near5 (controller manager monitor) and ((power voltage current AC) near5 (load state) near5 (sensor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 09:29
S17 8	3	(receptacle outlet plug) near5 (controller manager monitor) and ((power voltage current AC) near5 (load state) near5 (sensor)) and (SNMP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2005/02/23 09:13

S17 5	14510	(receptacle outlet plug) near5 (controller manager monitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 09:01
S17 7	139	(receptacle outlet plug) near5 (controller manager monitor) and (SNMP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/02/23 07:55
S17 6	98	S175 and (power near4 (strip))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 16:40
S17 4	2	"4709339",pn.	US-PGPUB; USPAT: USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 16:36
S17 3	2	"5651006".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 15:25
S17 2	2	"5909180".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 13:29
S17 1	1	(10/758117) and (ewing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 10:03
S12 6	2	"6711613".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 09:53
S17 0	15	("20010003206"   "20020007464"   "20020024332"   "20020116139"   "20020133728"   "20020178387"   "20020194517"   "20030005339"   "20030009705"   "4611289"   "5534734"   "5784628"   "5949974"   "6219795"   "6445088").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/22 08:49
S16 9	4	E A LONDO	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 08:44
S16 7	184	((dry-contact) (dry near3 contact)) near5 (relay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TOB		ON	2005/02/22 08:43

S16	2	"4709339".pn.	US-PGPUB;	OR	ON	2005/02/22 08:27
8		· .	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S16 6	79	((uniterruptible adj power adj supply) (UPS)) and (SNMP)and (manag\$5 monitor\$5) near10 (power) near10 (network) near5 (device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OZ	2005/02/18 16:08
S16 5	0	(SNMP)and (manag\$5 monitor\$5) near10 (power) near10 (netwrok) near5 (device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 16:08
S16 4	0	((uniterruptible adj power adj supply) (UPS)) and (SNMP)and (manag\$5 monitor\$5) near10 (power) near10 (netwrok) near5 (device)	US-PGPUB; USPAT: USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/02/18 16:08
S15 8	4863	((uniterruptible adj power adj supply) (UPS)) and (SNMP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 16:07
S16 3	0	((uniterruptible near3 power near3 (source system supply))) and (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:59
S16 2	0	((uniterruptible near3 power near3 (source system supply))) and (SNMP) and (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 15:59
S16 1	0	((uniterruptible near3 power near3 supply)) and (SNMP) and (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/02/18 15:58
S16 0	0	((uniterruptible adj power adj supply)) and (SNMP) and (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2005/02/18 15:58
S15 9	1592	((uniterruptible adj power adj supply) (UPS)) and (SNMP) and (MIB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2005/02/18 15:57
S15 7	0	(uniterruptible adj power adj supply) and (SNMP)	US-PGPUB USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2005/02/18 15:56

S15 6	23	(UPS) and (SNMP) and(IPM (intelligent adj power adj module))	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	ON	2005/02/18 15:55
S15 5	28	(I2c) and (power near5 (strip bar brick tap))	DERWENT; IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	ON	2005/02/10 16:59
S14 7	864	(l2c near4 (bus))	DERWENT; IBM_TDB US-PGPUB; USPAT; USOCR;	OR	ON	2005/02/10 16:58
S15	2	"5949974".pn.	EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT;	OR	ON	2005/02/10 16:20
0			USOCR; EPO; JPO; DERWENT; IBM_TDB US-PGPUB;	OR	ON	2005/02/10 15:04
S15 4	38	(I2C near4 (transceiver transmitter receiver))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S15 3	28	(I2c near4 (bus)) and (I2C near4 (transceiver transmitter receiver))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 14:57
S15 2	3	(09/732557)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 13:07
S14 6	3	(09/732557) and (ewing)	US-PGPUB, USPAT: USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 13:07
S15 1	2	"6711613".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2005/02/10 13:02
S14 9	o	S148 and ((select\$5 determin\$5) near10 (outlet receptacle appliance)) and (detector sensor) and (f2c adj bus)	US-PGPUB USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2005/02/10 13:01
S14 8	2196	(relay) near10 (on off close open) near10 (outlet receptacle plug NEMA)	US-PGPUB USPAT; USOCR; EPO; JPO; DERWENT IBM_TDB		ON	2005/02/10 13:00

Page 17

S13 8	120	S131 and ((select\$5 determin\$5) near10 (outlet receptacle appliance)) and (detector sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 13:00
S14 5	2	"5359540" pn	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 09:01
S14 4	42	307/34,35,36,37,38.ccls. and (power near4 (strip bar brick))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/02/07 16:19
S14 3	177	307/34,35,36,37,38.ccls. and (power near4 (manag\$5 monitor\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 16:18
S12 8	71251	(power near4 (manag\$5 monitor\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 16:00
S14 2	2	"4647721".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 15:13
S14 1	2	"4747041".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2005/02/07 15:13
S14 0	2	"4368394".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 15:10
S13 9	2	"4675537".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 15:09
S13 5	334	S131 and ((select\$5 determin\$5) near10 (outlet receptable appliance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 14:23
S13 7	2	"5424903".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2005/02/07 14:12

S13 6	1	S135 and (SNMP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 14:12
S12 7	1	(remote near3 power near3 reboot) and ((select\$5 determin\$5) near10 (outlet receptacle appliance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07:14:06
S13 4	10	(relay) near10 (on off close open) near10 (outlet receptacle plug NEMA) and (internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 14:05
S13 3	2	(relay) near10 (on off close open) near10 (outlet receptacle plug NEMA) and (SNMP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 14:04
S13 2	0	(relay) near10 (on off close open) near10 (outlet receptacle plug NEMA) same (SNMP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 14:04
S13 0	2	"6292902":pn	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 13:07
S12 9	664	S128 and (SNMP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 13:07
S12 5	2		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 10:07
S12 4	15	(remote near3 power near3 (on and off))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 09:05
S12 3	11	(remote near3 power near3 reboot)	US-PGPUB: USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 17:10
S12 2	0	(remote near3 power near3 reboot) and (home house residence) near5 (appliance (coffee adj maker))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 17:02



Home | Login | Logout | Access Information | Aleris |

#### Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "( ( power distribution<in>metadata ) <and> ( outlet<in>metadata ) )<and> ( I..."

☑ e-mail

Your search matched 0 documents. A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

**Modify Search** 

New Search

( ( power distribution<in>metadata ) <and> ( outlet<in>metadata ) )<and> ( load<in>n

Check to search only within this results set

» Key

IEEE JNL

IEEE Journal or

Magazine

IEE JNL

IEE Journal or Magazine

IEEE CNF

IEE CNF

IEEE Conference

Proceeding

Proceeding

**IEE Conference** 

IEEE STO IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

Help Contact Us Privacy &:

@ Copyright 2006 IEEE --



Home | Login | Logout | Access Information | Aleris |

#### Welcome United States Patent and Trademark Office

BROWSE Search Results

SEARCH

IEEE XPLORE GUIDE

Results for "( ( load<in>metadata ) <and> ( outlet<in>metadata ) )<and> ( sensor<in>..." Your search matched 2 of 1348795 documents.

⊠e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

**Modify Search** 

( ( load<in>metadata ) <and> ( outlet<in>metadata ) )<and> ( sensor<in>metadata )

Check to search only within this results set

Display Format:

view selected items

© Citation © Citation & Abstract

Select All Deselect All

» Key

IEEE Journal or

Magazine

IEE JNL

IEE CNF

IEEE JNL

IEE Journal or Magazine

**IEEE Conference** IEEE CNF

**Proceeding** 

IEE Conference

Proceeding

IEEE STD IEEE Standard

1. Synthesis of a robust pH controller using QFT 

Barve, J.J.; Nataraj, P.S.V.;

TENCON '98, 1998 IEEE Region 10 International Conference on Global Conne

Computer, Communication and Control

Volume 1, 17-19 Dec. 1998 Page(s):214 - 217 vol.1 Digital Object Identifier 10.1109/TENCON.1998.797124

AbstractPlus | Full Text: PDF(312 KB) IEEE CNF

Rights and Permissions

2. Experimental investigation of design and performance of data centers 

Sharma, R.; Bash, C.; Chandrakant Patel; Beitelmal,  $\dot{M}$ .;

Thermal and Thermomechanical Phenomena in Electronic Systems, 2004. ITH

Ninth Intersociety Conference on

1-4 June 2004 Page(s):579 - 585 Vol.1

AbstractPlus | Full Text: PDF(702 KB) IEEE CNF

Rights and Permissions

Contact Us Privacy &:

© Copyright 2006 IEEE -

indeped by iii insoec



Home | Login | Logout | Access Information | Alerts |

#### Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "( ( load<in>metadata ) <and> ( receptacle<in>metadata ) )<and> ( sensor<i..."

⊠e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

**Modify Search** 

( ( load<in>metadata ) <and> ( receptacle<in>metadata ) )<and> ( sensor<in>metada

Check to search only within this results set

» Key

IEEE Journal or

Magazine

IEE JNL

IEE Journal or Magazine

IEEE CNF

IEE CNF

IEEE JNL

**IEEE Conference** 

Proceeding

IEE Conference **Proceeding** 

IEEE STO IEEE Standard

Display Format:

© Citation © Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

search.

Contact Us Privacy &:

© Copyright 2008 IEEE --

indexed by



Home | Login | Logout | Access Information | Alerts |

#### Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "( ( power distribution<in>metadata ) <and> ( receptacle<in>metadata ) )<and>..."

⊠e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

Modify Search

New Search

( ( power distribution < in > metadata ) < and > ( receptacle < in > metadata ) ) < and > ( sens

» Key

ieee jnl

IEE CNF

IEEE Journal or

Magazine

IEE Journal or Magazine iee jnl

**IEEE Conference** 

IEEE CNF

Proceeding

IEE Conference

Proceeding

IEEE STD IEEE Standard

Check to search only within this results set

Display Format:

Citation C Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

Contact Us Privacy &:

@ Copyright 2006 IEEE --

indexed by 🗓 inspec



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library The Guide

+power +outlet +load +current +voltage sense detect determ



### THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used power outlet load current voltage sense detect determine

Found 13 of 176,279

Sort results by

Display

results

relevance •

Save results to a Binder

Bearch Tips

Open results in a new

Try an <u>Advanced Search</u> Try this search in <u>The ACM Guide</u>

Results 1 - 13 of 13

Relevance scale 🔲 📟 📟

Power reduction techniques for microprocessor systems

window

Vasanth Venkatachalam, Michael Franz

September 2005 ACM Computing Surveys (CSUR), Volume 37 Issue 3

Publisher: ACM Press

Full text available: pdf(602.33 KB) Additional Information: full citation, abstract, references, index terms

Power consumption is a major factor that limits the performance of computers. We survey the "state of the art" in techniques that reduce the total power consumed by a microprocessor system over time. These techniques are applied at various levels ranging from circuits to architectures, architectures to system software, and system software to applications. They also include holistic approaches that will become more important over the next decade. We conclude that power management is a ...

**Keywords:** Energy dissipation, power reduction

2 Software safety: why, what, and how

Nancy G. Leveson

June 1986 ACM Computing Surveys (CSUR), Volume 18 Issue 2

**Publisher: ACM Press** 

Full text available: pdf(4.18 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms, <u>review</u>

Software safety issues become important when computers are used to control real-time, safety-critical processes. This survey attempts to explain why there is a problem, what the problem is, and what is known about how to solve it. Since this is a relatively new software research area, emphasis is placed on delineating the outstanding issues and research topics.

3 Numerical computations: its nature and research directions

J. R. Rice, C. W. Gear, J. Ortega, B. Parlett, M. Schultz, L. F. Shampine, P. Wolfe, J. F. Traub February 1979 **ACM SIGNUM Newsletter**, Volume 14 Issue si-1

Publisher: ACM Press

Full text available: pdf(4.43 MB) Additional Information: full citation, abstract, references

This report on research in numerical computation is part of the Computer Science and Engineering Research Study (COSERS) which is aimed at technically educated people

outside the Computer Science field. This goal led the panel to face many difficult choices between precise, but excessively technical, descriptions and looser, but more accessible expositions. The panel hopes that all readers will keep this in mind.

4 Attentive user interfaces: Interacting with groups of computers

Jeffrey S. Shell, Ted Selker, Roel Vertegaal

March 2003 Communications of the ACM, Volume 46 Issue 3

**Publisher: ACM Press** 

Full text available: pdf(419.02 KB) Additional Information: full citation, abstract, references, citings, index terms

AUIs recognize human attention in order to respect and react to how users distribute their attention in technology-laden environments.

5 Risks to the public in computers and related systems

Peter G. Neumann

April 1991 ACM SIGSOFT Software Engineering Notes, Volume 16 Issue 2

**Publisher: ACM Press** 

Full text available: pdf(1.56 MB) Additional Information: full citation, index terms

6 Energy-aware computing: Using multiple energy gears in MPI programs on a power-





scalable cluster

Vincent W. Freeh, David K. Lowenthal
June 2005 Proceedings of the tenth ACM SIGPLAN symposium on Principles and
practice of parallel programming

**Publisher: ACM Press** 

Full text available: pdf(172.78 KB) Additional Information: full citation, abstract, references, index terms

Recently, system architects have built low-power, high-performance clusters, such as Green Destiny. The idea behind these clusters is to improve the energy efficiency of nodes. However, these clusters save power at the expense of performance. Our approach is instead to use high-performance cluster nodes that are frequency- and voltage-scalable; energy can than be saved by scaling down the CPU. Our prior work has examined the costs and benefits of executing an entire application at a single reduc ...

Keywords: high-performance computing, power-aware computing

7 Managing battery lifetime with energy-aware adaptation



Jason Flinn, M. Satyanarayanan

May 2004 ACM Transactions on Computer Systems (TOCS), Volume 22 Issue 2

**Publisher: ACM Press** 

Full text available: pdf(1.61 MB) Additional Information: full citation, abstract, references, index terms

We demonstrate that a collaborative relationship between the operating system and applications can be used to meet user-specified goals for battery duration. We first describe a novel profiling-based approach for accurately measuring application and system energy consumption. We then show how applications can dynamically modify their behavior to conserve energy. We extend the Linux operating system to yield battery lifetimes of user-specified duration. By monitoring energy supply and demand and ...

Keywords: Power management, adaptation

Systems, platforms, and applications: MANTIS: system support for multimodAl NeTworks of in-situ sensors



H. Abrach, S. Bhatti, J. Carlson, H. Dai, J. Rose, A. Sheth, B. Shucker, J. Deng, R. Han September 2003 Proceedings of the 2nd ACM international conference on Wireless sensor networks and applications

**Publisher: ACM Press** 

Full text available: pdf(424.53 KB)

Additional Information: full citation, abstract, references, citings, index

The MANTIS MultimodAl system for NeTworks of In-situ wireless Sensors provides a new multithreaded embedded operating system integrated with a general-purpose singleboard hardware platform to enable flexible and rapid prototyping of wireless sensor networks. The key design goals of MANTIS are ease of use, i.e. a small learning curve that encourages novice programmers to rapidly prototype novel sensor networking applications in software and hardware, as well as flexibility, ...

Keywords: GPS, dynamic reprogramming, lightweight, multimodal prototyping, operating systems, wireless sensor networks

Just In Time Dynamic Voltage Scaling: Exploiting Inter-Node Slack to Save Energy in



MPI Programs

Nandini Kappiah, Vincent W. Freeh, David K. Lowenthal

November 2005 Proceedings of the 2005 ACM/IEEE conference on Supercomputing SC '05

**Publisher: IEEE Computer Society** 

Full text available: pdf(324.78 KB)

Additional Information: full citation, abstract

Publisher Site

Recently, improving the energy efficiency of HPC machines has become important. As a result, interest in using powerscalable clusters, where frequency and voltage can be dynamically modified, has increased. On power-scalable clusters, one opportunity for saving energy with little or no loss of performance exists when the computational load is not perfectly balanced. This situation occurs frequently, as balancing load between nodes is one of the long standing problems in parallel and distributed ...

10 Energy-aware computing: Energy conservation in heterogeneous server clusters Taliver Heath, Bruno Diniz, Enrique V. Carrera, Wagner Meira Jr., Ricardo Bianchini June 2005 Proceedings of the tenth ACM SIGPLAN symposium on Principles and practice of parallel programming



Full text available: pdf(239.59 KB) Additional Information: full citation, abstract, references, index terms

The previous research on cluster-based servers has focused on homogeneous systems. However, real-life clusters are almost invariably heterogeneous in terms of the performance, capacity, and power consumption of their hardware components. In this paper, we argue that designing efficient servers for heterogeneous clusters requires defining an efficiency metric, modeling the different types of nodes with respect to the metric, and searching for request distributions that optimize the metric. To con ...

Keywords: energy conservation, heterogeneity, server clusters

11 Performance-constrained Distributed DVS Scheduling for Scientific Applications on Power-aware Clusters



Rong Ge, Xizhou Feng, Kirk W. Cameron

November 2005 Proceedings of the 2005 ACM/IEEE conference on Supercomputing SC

Publisher: IEEE Computer Society

Full text available: pdf(256.63 KB)

Additional Information: full citation, abstract

Left unchecked, the fundamental drive to increase peak performance using tens of thousands of power hungry components will lead to intolerable operating costs and failure rates. High-performance, power-aware distributed computing reduces power and energy consumption of distributed applications and systems without sacrificing performance. Generally, we use DVS (Dynamic Voltage Scaling) technology now available in highperformance microprocessors to reduce power consumption during parallel applica ...

12 Part 1: perspectives on reversible computing: Reversible logic for supercomputing



Erik P. DeBenedictis

May 2005 Proceedings of the 2nd conference on Computing frontiers

Publisher: ACM Press

Full text available: pdf(401.79 KB) Additional Information: full citation, abstract, references, index terms

This paper is about making reversible logic a reality for supercomputing. Reversible logic offers a way to exceed certain basic limits on the performance of computers, yet a powerful case will have to be made to justify its substantial development expense. This paper explores the limits of current, irreversible logic for supercomputers, thus forming a threshold above which reversible logic is the only solution. Problems above this threshold are discussed, with the science and mitigation of globa ...

Keywords: applications modeling, climate change global warming, computer architecture, quantum dot cellular automata, reversible logic, supercomputing

13 Papers: Tactile user interface: Phidgets: easy development of physical interfaces



through physical widgets

Saul Greenberg, Chester Fitchett

November 2001 Proceedings of the 14th annual ACM symposium on User interface software and technology

Publisher: ACM Press

Full text available: pdf(1.35 MB)

Additional Information: full citation, abstract, references, citings, index

Physical widgets or phidgets are to physical user interfaces what widgets are to graphical user interfaces. Similar to widgets, phidgets abstract and package input and output devices: they hide implementation and construction details, they expose functionality through a well-defined API, and they have an (optional) on-screen interactive interface for displaying and controlling device state. Unlike widgets, phidgets also require: a connection manager to track how devices appear on-line; a ...

Results 1 - 13 of 13

The ACM Portal is published by the Association for Computing Machinery. Copyright @ 2006 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Acobe Acrobat QuickTime Windows Media Player

Real Player



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library The Guide

+power +outlet +load +current +voltage brick tap strip

#### THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used <u>power outlet load current voltage brick tap strip</u>

Found 13 of 176,279

Sort results by

Display

results

relevance expanded form

Save results to a Binder

Search Tips

Open results in a new

window

Try an <u>Advanced Search</u> Try this search in <u>The ACM Guide</u>

Results 1 - 13 of 13

Relevance scale 🗆 🖬 🖼 🚾

1 Energy-aware computing: Energy conservation in heterogeneous server clusters
Taliver Heath, Bruno Diniz, Enrique V. Carrera, Wagner Meira Jr., Ricardo Bianchini
June 2005 Proceedings of the tenth ACM SIGPLAN symposium on Principles and
practice of parallel programming

**Publisher: ACM Press** 

Full text available: pdf(239.59 KB) Additional Information: full citation, abstract, references, index terms

The previous research on cluster-based servers has focused on homogeneous systems. However, real-life clusters are almost invariably heterogeneous in terms of the performance, capacity, and power consumption of their hardware components. In this paper, we argue that designing efficient servers for heterogeneous clusters requires defining an efficiency metric, modeling the different types of nodes with respect to the metric, and searching for request distributions that optimize the metric. To con ...

Keywords: energy conservation, heterogeneity, server clusters

2 Power reduction techniques for microprocessor systems

Vasanth Venkatachalam, Michael Franz

September 2005 ACM Computing Surveys (CSUR), Volume 37 Issue 3

**Publisher: ACM Press** 

Full text available: pdf(602\_33 KB) Additional Information: full citation, abstract, references, index terms

Power consumption is a major factor that limits the performance of computers. We survey the "state of the art" in techniques that reduce the total power consumed by a microprocessor system over time. These techniques are applied at various levels ranging from circuits to architectures, architectures to system software, and system software to applications. They also include holistic approaches that will become more important over the next decade. We conclude that power management is a ...

Keywords: Energy dissipation, power reduction

3 Just In Time Dynamic Voltage Scaling: Exploiting Inter-Node Slack to Save Energy in MPI Programs

Nandini Kappiah, Vincent W. Freeh, David K. Lowenthal
November 2005 Proceedings of the 2005 ACM/IEEE conference on Supercomputing SC
'05

**Publisher: IEEE Computer Society** 

Full text available: pdf(324.78 KS)

Additional Information: full citation, abstract

Recently, improving the energy efficiency of HPC machines has become important. As a result, interest in using powerscalable clusters, where frequency and voltage can be dynamically modified, has increased. On power-scalable clusters, one opportunity for saving energy with little or no loss of performance exists when the computational load is not perfectly balanced. This situation occurs frequently, as balancing load between nodes is one of the long standing problems in parallel and distributed ...

Managing battery lifetime with energy-aware adaptation

Jason Flinn, M. Satyanarayanan

May 2004 ACM Transactions on Computer Systems (TOCS), Volume 22 Issue 2

Publisher: ACM Press

Full text available: pdf(1.61 MB)

Additional Information: full citation, abstract, references, index terms

We demonstrate that a collaborative relationship between the operating system and applications can be used to meet user-specified goals for battery duration. We first describe a novel profiling-based approach for accurately measuring application and system energy consumption. We then show how applications can dynamically modify their behavior to conserve energy. We extend the Linux operating system to yield battery lifetimes of user-specified duration. By monitoring energy supply and demand and ...

Keywords: Power management, adaptation

Energy-aware computing: Using multiple energy gears in MPI programs on a power-

scalable cluster Vincent W. Freeh, David K. Lowenthal

June 2005 Proceedings of the tenth ACM SIGPLAN symposium on Principles and practice of parallel programming

**Publisher: ACM Press** 

Full text available: pdf(172.78 KB) Additional Information: full citation, abstract, references, index terms

Recently, system architects have built low-power, high-performance clusters, such as Green Destiny. The idea behind these clusters is to improve the energy efficiency of nodes. However, these clusters save power at the expense of performance. Our approach is instead to use high-performance cluster nodes that are frequency- and voltagescalable; energy can than be saved by scaling down the CPU. Our prior work has examined the costs and benefits of executing an entire application at a single reduc ...

Keywords: high-performance computing, power-aware computing

Performance-constrained Distributed DVS Scheduling for Scientific Applications on

Power-aware Clusters

Rong Ge, Xizhou Feng, Kirk W. Cameron

November 2005 Proceedings of the 2005 ACM/IEEE conference on Supercomputing SC

**Publisher: IEEE Computer Society** 

Full text available: pdf(256.63 KB)

Additional Information: full citation, abstract

Publisher Site

Left unchecked, the fundamental drive to increase peak performance using tens of thousands of power hungry components will lead to intolerable operating costs and failure rates. High-performance, power-aware distributed computing reduces power and energy consumption of distributed applications and systems without sacrificing performance. Generally, we use DVS (Dynamic Voltage Scaling) technology now available in highperformance microprocessors to reduce power consumption during parallel applica ...

Part 1: perspectives on reversible computing: Reversible logic for supercomputing

Erik P. DeBenedictis

May 2005 Proceedings of the 2nd conference on Computing frontiers

**Publisher: ACM Press** 

Full text available: pdi(401.79 KB) Additional Information: full citation, abstract, references, index terms

This paper is about making reversible logic a reality for supercomputing. Reversible logic offers a way to exceed certain basic limits on the performance of computers, yet a powerful case will have to be made to justify its substantial development expense. This paper explores the limits of current, irreversible logic for supercomputers, thus forming a threshold above which reversible logic is the only solution. Problems above this threshold are discussed, with the science and mitigation of globa ...

Keywords: applications modeling, climate change global warming, computer architecture, quantum dot cellular automata, reversible logic, supercomputing

Numerical computations: its nature and research directions

J. R. Rice, C. W. Gear, J. Ortega, B. Parlett, M. Schultz, L. F. Shampine, P. Wolfe, J. F. Traub February 1979 ACM SIGNUM Newsletter, Volume 14 Issue si-1

**Publisher: ACM Press** 

Additional Information: full citation, abstract, references Full text available: mpdf(4.43 MB)

This report on research in numerical computation is part of the Computer Science and Engineering Research Study (COSERS) which is aimed at technically educated people outside the Computer Science field. This goal led the panel to face many difficult choices between precise, but excessively technical, descriptions and looser, but more accessible expositions. The panel hopes that all readers will keep this in mind.

Software safety: why, what, and how

Nancy G. Leveson

June 1986 ACM Computing Surveys (CSUR), Volume 18 Issue 2

Publisher: ACM Press

Full text available: pdf(4.18 MB)

Additional Information: full citation, abstract, references, citings, index terms, review

Software safety issues become important when computers are used to control real-time, safety-critical processes. This survey attempts to explain why there is a problem, what the problem is, and what is known about how to solve it. Since this is a relatively new software research area, emphasis is placed on delineating the outstanding issues and research topics.

10 Systems, platforms, and applications: MANTIS: system support for multimodAl

NeTworks of in-situ sensors

H. Abrach, S. Bhatti, J. Carlson, H. Dai, J. Rose, A. Sheth, B. Shucker, J. Deng, R. Han September 2003 Proceedings of the 2nd ACM international conference on Wireless sensor networks and applications

**Publisher: ACM Press** 

Additional Information: full citation, abstract, references, citings, index Full text available: pdf(424.53 KB) terms

The MANTIS MultimodAl system for NeTworks of In-situ wireless Sensors provides a new

multithreaded embedded operating system integrated with a general-purpose singleboard hardware platform to enable flexible and rapid prototyping of wireless sensor networks. The key design goals of MANTIS are ease of use, i.e. a small learning curve that encourages novice programmers to rapidly prototype novel sensor networking applications in software and hardware, as well as flexibility, ...

Keywords: GPS, dynamic reprogramming, lightweight, multimodal prototyping, operating systems, wireless sensor networks

11 Papers: Tactile user interface: Phidgets: easy development of physical interfaces





through physical widgets Saul Greenberg, Chester Fitchett

November 2001 Proceedings of the 14th annual ACM symposium on User interface software and technology

**Publisher: ACM Press** 

Full text available: pdf(1.35 MB)

Additional Information: full citation, abstract, references, citings, index terms

Physical widgets or phidgets are to physical user interfaces what widgets are to graphical user interfaces. Similar to widgets, phidgets abstract and package input and output devices: they hide implementation and construction details, they expose functionality through a well-defined API, and they have an (optional) on-screen interactive interface for displaying and controlling device state. Unlike widgets, phidgets also require: a connection manager to track how devices appear on-line; a ...

12 Risks to the public in computers and related systems





Peter G. Neumann

April 1991 ACM SIGSOFT Software Engineering Notes, Volume 16 Issue 2

**Publisher: ACM Press** 

Full text available: pdf(1.56 MB)

Additional Information: full citation, index terms

Attentive user interfaces: Interacting with groups of computers



Jeffrey S. Shell, Ted Selker, Roel Vertegaal

March 2003 Communications of the ACM, Volume 46 Issue 3

**Publisher: ACM Press** 

html(33.80 KB)

Full text available: pdf(419.02 KB) Additional Information: full citation, abstract, references, citings, index

<u>terms</u>

AUIs recognize human attention in order to respect and react to how users distribute their attention in technology-laden environments.

Results 1 - 13 of 13

The ACM Portal is published by the Association for Computing Machinery. Copyright @ 2006 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player